

## Mitchell, Brian

---

**From:** Arnold, Doug <Doug.Arnold@alston.com>  
**Sent:** Thursday, July 06, 2017 8:31 AM  
**To:** Mitchell, Brian  
**Cc:** DeMoss, Nicole  
**Subject:** Electrolux GMP



Brian:

Nicole and I followed up with Electrolux regarding your requests below. Electrolux has confirmed that it would be glad to provide EPA with courtesy copies of (1) Golder's analytical results for each semi-annual groundwater sampling event and (2) Golder's annual Technical Memorandum - both within 30 days of receipt. With respect to your two questions, Electrolux is not in a position to provide a guesstimate, and Electrolux intends to implement the GMP, until Golder recommends that the monitoring be discontinued.

If you or Don have any other questions, please do not hesitate to let Nicole and me know.

Regards, Doug

**From:** Mitchell, Brian [mailto:Mitchell.Brian@epa.gov]  
**Sent:** Thursday, June 29, 2017 11:30 AM  
**To:** Arnold, Doug <Doug.Arnold@alston.com>  
**Cc:** DeMoss, Nicole <Nicole.DeMoss@alston.com>  
**Subject:** RE: Electrolux GMP

I did not see in the section regarding reporting that copies of the analytical results and Technical Memorandum were going to be submitted to EPA. This was probably just an oversight as Electrolux has been cooperative in the past. However, for clarity, I hereby request that copies of the analytical results be submitted to EPA within 30 days of receipt by either Golder or any other Electrolux representative. I also hereby request that the Technical Memorandum be submitted to EPA within 30 days of it being finalized.

During our last conversation you stated that Electrolux had no plans of conducting a soil removal or adding any additional monitoring wells at this time. When Don gets back in the office next week, Don and I will discuss our plans forward and then let you know.

I have not seen any guesstimates of how long Electrolux thinks it will take for the soil and groundwater contamination to bio-remediate or how long Electrolux plans to monitor. I would like to know Electrolux's guesstimate and monitoring commitment. This information would be helpful if submitted before my meeting with Don.

Brian Mitchell  
RCRA Corrective Action Officer  
EPA Region 7  
AWMD/WRAP  
2.3 – P44  
11201 Renner Blvd  
Lenexa, Kansas 66219  
913-551-7633 work  
816-304-4158 cell

**From:** Arnold, Doug [<mailto:Doug.Arnold@alston.com>]  
**Sent:** Thursday, June 29, 2017 7:22 AM  
**To:** Mitchell, Brian <[Mitchell.Brian@epa.gov](mailto:Mitchell.Brian@epa.gov)>  
**Cc:** DeMoss, Nicole <[Nicole.DeMoss@alston.com](mailto:Nicole.DeMoss@alston.com)>  
**Subject:** Electrolux GMP

Brian:

Per your request, here is a copy of Golder Associates' Groundwater Monitoring Plan. It has been approved by Electrolux, and Golder anticipates commencing implementation next month.

Regards, Doug

**Douglas S. Arnold | Alston & Bird LLP**  
Partner and Co-Chair,  
Environmental, Energy & Natural Resources Practice Group  
1201 West Peachtree Street | Atlanta, GA 30309-3424  
T: 404-881-7637 | F: 404-881-7777 | E: [doug.arnold@alston.com](mailto:doug.arnold@alston.com) | [www.alston.com/doug\\_arnold/](http://www.alston.com/doug_arnold/)

Atlanta | Beijing | Brussels | Charlotte | Dallas | Los Angeles | New York | Research Triangle | San Francisco | Silicon Valley | Washington DC  
18 Consecutive Years on Fortune® Magazine's "The 100 Best Companies to Work For"™

---

NOTICE: This e-mail message and all attachments may contain legally privileged and confidential information intended solely for the use of the addressee. If you are not the intended recipient, you are hereby notified that you may not read, copy, distribute or otherwise use this message or its attachments. If you have received this message in error, please notify the sender by email and delete all copies of the message immediately.